Rockton School District 140

Date of Plan: _____

Diabetes Medical Management Plan

Effective Dates:				
This plan should be completed by the student's personal health care team and parents/guardian. It should be reviewed with relevant school staff and copies should be kept in a place that is easily accessed by the school nurse, trained diabetes personnel, and other authorized personnel.				
Student's Name:				
Date of Birth:	Date of Diabetes Diagnosis:			
Grade:	Homeroom Teacher:			
Physical Condition: Diabetes type 1 Diabetes	abetes type 2			
Contact Information				
Mother/Guardian:				
Address:				
Telephone: Home	Work	Cell		
Father/Guardian:				
Address:				
Telephone: Home	Work	Cell		
Student's Doctor/Health Care Provider:				
Name:				
Address:				
Telephone:	Emergency Number:			
Other Emergency Contacts:				
Name:				
Relationship:				
Telephone: Home	Work	Cell		
Notify parents/guardian or emergency contact i	n the following situations:			

Diabetes Medical Management Plan Continued

Blood Glucose Monitoring	
Target range for blood glucose is ☐ 70-150	□ 70-180 □ Other
Usual times to check blood glucose	
Times to do extra blood glucose checks (<i>check</i>) □ before exercise □ after exercise □ when student exhibits symptoms of hyperg □ when student exhibits symptoms of hypog □ other (explain):	glycemia lycemia
Can student perform own blood glucose check	
Exceptions:	
Type of blood glucose meter student uses:	
Insulin	
units or does flexible dosing using	llin at lunch (circle type of rapid-/short-acting insulin used) is units/ grams carbohydrate. sulin used): intermediate/NPH/lente units or
Insulin Correction Doses Parental authorization should be obtained before glucose levels. ☐ Yes ☐ No	ore administering a correction dose for high blood
units if blood glucose is to	mg/dl
units if blood glucose is to	
units if blood glucose is to	
units if blood glucose is to	mg/dl
units if blood glucose is to	mg/dl
Can student give own injections? Yes Can student determine correct amount of insu Can student draw correct dose of insulin? Parents are authorized to adjust the instance.	lin? □Yes □No
For Students With Insulin Pumps	
Type of pump:	Basal rates: 12 am to
	to
	to
Type of insulin in pump:	
Type of infusion set:	
Insulin/carbohydrate ratio:	_Correction factor:

Diabetes Medical Management Plan Continued

Student Pump Abilities/S	Needs Assistance				
Calculate and set basal process Calculate and set basal process Calculate and set temporal Disconnect pump Reconnect pump at infus Prepare reservoir and tub Insert infusion set Troubleshoot alarms and Troubleshoot alarms are the Troubleshoot alarms and Troubleshoot alarms are the Troubleshoot alarms a	rofiles eary basal rate sion set oing	☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes☐ Yes	☐ No☐ No☐ No☐ No☐ No☐ No☐ No☐ No☐ No☐ No	Timing:	
Other medications:			Timing:		
Meals and Snacks Eate Is student independent in Meal/Snack	n at School carbohydrate calculations a	and manag		☐ Yes ☐ No ontent/amount	
	Time		roou ce	meni/amouni	
Breakfast Mid-morning snack					
Lunch					
Dinner					
Snack before exercise?	☐ Yes ☐ No				
Snack after exercise?	☐ Yes ☐ No				
Other times to give sna	cks and content/amount:_				
Preferred snack foods:					
Foods to avoid, if any:					
Instructions for when fo	od is provided to the class	(e.g., as pa	art of a c	class party or food sam	pling event):
Exercise and Sports					
A fast-acting carbohydravailable at the site of e	rate such asexercise or sports.				should be
Restrictions on activity,	if any:				
	cise if blood glucose level urine ketones are present.	l is below	8) 2 <u>0</u> 27	mg/dl or above_	mg/dl

Diabetes Medical Management Plan Continued

Hypoglycemia (Low Blood Sugar)	
Usual symptoms of hypoglycemia:	
Treatment of hypoglycemia:	
Glucagon should be given if the student is unconscious, having a seizu Route, Dosage, site for glucagon injection:a	
If glucagon is required, administer it promptly. Then, call 911 (or other parents/guardian.	er emergency assistance) and the
Hyperglycemia (High Blood Sugar)	
Usual symptoms of hyperglycemia:	
Treatment of hyperglycemia:	
Urine should be checked for ketones when blood glucose levels are ab	ove mg/dl.
Treatment for ketones:	
Supplies to be Kept at School	
Blood glucose meter, blood glucose testInsulir	n pump and supplies
	n pen, pen needles, insulin cartridges
	cting source of glucose
	hydrate containing snack
	gon emergency kit
Signatures	
This Diabetes Medical Management Plan has been approved by:	
Student's Physician/Health Care Provider	Date
I give permission to the school nurse, trained diabetes personnel, and control school to perform and carry out	other designated staff members of the diabetes care tasks as outlined by
's Diabetes Medical Management Plan. I also con	sent to the release of the information
contained in this Diabetes Medical Management Plan to all staff meml	bers and other adults who have custodial
care of my child and who may need to know this information to maint	tain my child's health and safety.
Acknowledged and received by:	
Student's Parent/Guardian	Date
Student's Parent/Guardian	Date

Quick Reference Emergency Plan for a Student with Diabetes

Hypoglycemia (Low Blood Sugar)

Photo

Student's Name		
Grade/Teacher		Date of Plan
Emergency Contact Information:		
Mother/Guardian	Father/Guardian	
Home phone Work phone	Cell Home phone	Work phone Cell
School Nurse/Trained Diabetes Per	sonnel Contact Number(s)	
Never	send a child with suspected low blood sugar an	ywhere alone.
• To • To • Too much	Missed food	Onset Sudden
	Symptoms	
Mild	Moderate	Severe
 Hunger Shakiness Weakness Paleness Anxiety Irritability Dizziness Sweating Prowsiness Inability to concentrate Other: 	 Headache Behavior Weakness Change Slurred Speech Confusion Coordination Other 	 Loss of consciousness Seizure Inability to swallow
Circle student's usual symptoms.	Circle student's usual symptoms.	Circle student's usual symptoms.
	Actions Needed ned Diabetes Personnel. If possible, check Plan. When in doubt, always TREAT FOR	3 . 1
NASIA	Madamata	Severe
• Student may/may not treat self. • Provide quick-sugar source. 3-4 glucose tablets or 4 oz. juice	 Moderate Someone assists. Give student quick-sugar source per MILD guidelines. 	 Severe Don't attempt to give anything by mouth. Position on side, if possible.
6 oz. regular soda or Wait 10 to 15 minutes.		 Contact school nurse or trained diabetes personnel.
 3 teaspoons of glucose gel Wait 10 to 15 minutes. Recheck blood glucose. Repeat food if symptoms persist or blood glucose is less than 	 Recheck blood glucose. Repeat food if symptoms persist or blood glucose is less than Follow with a snack of 	 Administer glucagon, as prescribed. Call 911. Contact parents/guardian.
• Follow with a snack of carbohydrate and protein (e.g., cheese and crackers).	carbohydrate and protein (e.g., cheese and crackers).	• Stay with student.

Quick Reference Emergency Plan for a Student with Diabetes

Hyperglycemia (High Blood Sugar)

	9			
\mathbf{D}	L	~	4,	-
	П	()	T()
		\cdot	~	,

Student's Name					
Grade/Teacher				Date of Plan	
Emergency Contact	Information:				
Mother/Guardian			Father/Guardian		
Home phone	Work phone	Cell	Home phone	Work phone	Cell
School Nurse/Traine	d Diabetes Personnel	3	Contact Number(s))	
	• Too much food • Too little insulin • Decreased activity	IllnessInfection		Onset several hours or days	
		Sv	mptoms	7	
		- Оу			
= 68	ild	18 SS 91	loderate	26 25 19	evere
 Fatigue/sle Increased Blurred vi Weight los Stomach p Flushing of 	 Thirst Frequent urination Fatigue/sleepiness Increased hunger Blurred vision Weight loss Stomach pains Flushing of skin Lack of concentration Mild syn Dry mou Nausea Stomach Vomiting Other: 		outh - Labore - Very w		breathing ak d
• Lack of co					
• Other:	usual symptoms.	Circle studer	nt's usual symptoms.	Circle student	's usual symptoms.
		<u>L</u>			
	 Encourage Contact the urine or ad Manageme If student in the encourage 	use of the bathrostudent to drink e school nurse or minister insulin, ent Plan. s nauseous, vominardian or ca	ons Needed oom. water or sugar-free di trained diabetes perse per student's Diabete iting, or lethargic, ill for medical assistan	onnel to check s Medical _ call the	